

SonicWall Network Security Appliance (NSA) series

Industry-validated security effectiveness and performance for mid-sized networks

The SonicWall Network Security
Appliance (NSA) series provides
midsized networks, branch offices and
distributed enterprises with advanced
threat prevention in a high-performance
security platform. Combining nextgeneration firewall technology with
our patented* Reassembly-Free Deep
Packet Inspection (RFDPI) engine on a
multi-core architecture, the NSA series
offers the security, performance and
control organizations require.

Superior threat prevention and performance

NSA series next-generation firewalls (NGFWs) integrate a series of advanced security technologies to deliver a superior level of threat prevention. Our patented single-pass RFDPI threat prevention engine examines every byte of every packet, inspecting both inbound and outbound traffic simultaneously. The NSA series leverages on-box capabilities including intrusion prevention, anti-malware and web/URL filtering in addition to cloud-based services such as CloudAV and SonicWall Capture multi-engine sandboxing to block zero-day threats at the gateway. Unlike other security products that cannot inspect large files for hidden threats. NSA firewalls scan files of any size across all ports and protocols. The security architecture in SonicWall NGFWs has been validated as one of the industry's best for security effectiveness by NSS Labs which awarded SonicWall its "Recommended" rating for the fourth consecutive year.

Going beyond intrusion prevention, anti-malware and web filtering, SonicWall NGFWs provide a further level of protection by performing full decryption and inspection of TLS/SSL and SSH encrypted traffic as well as non-proxyable applications, enabling complete protection regardless of transport or protocol. It looks deep inside every packets (the header and data part) searching for protocol non-compliance, threats, zero-days, intrusions, and even defined criteria to detect and prevent hidden attacks that leverage cryptography, block encrypted malware downloads, cease the spread of infections, and thwart command and control (C&C) communications and data exfiltration. Inclusion and exclusion rules allow total control to customize which traffic is subjected to decryption and inspection based on specific organizational compliance and/ or legal requirements.

When organizations activate deep packet inspection functions such as intrusion prevention, anti-virus, anti spyware, TLS/SSL decryption/inspection and others on their firewalls network performance often slows down, sometimes dramatically. NSA series firewalls feature a multi-core hardware architecture that utilizes specialized security microprocessors. Combined with our RFDPI engine, this unique design eliminates the performance degradation networks experience with other firewalls.



Benefits:

Superior threat prevention and performance

- Patented reassembly-free deep packet inspection technology
- On-box and cloud-based threat prevention
- SSL/TLS decryption and inspection
- Industry-validated security effectiveness
- Multi-core hardware architecture
- Dedicated in-house threat research team

Network control and flexibility

- Powerful SonicOS operating system
- Application intelligence and control
- Network segmentation with VLANs
- Wireless network security

Easy deployment, setup and ongoing management

- Tightly integrated solution
- Centralized management
- Scalability through multiple hardware platforms
- Low total cost of ownership

In today's security environment, it's not enough to rely on solely on outside parties for threat information. That's why SonicWall formed its own in-house threat research team more than 15 years ago. This dedicated team gathers, analyzes and vets data from over one million sensors in its GRID network. SonicWall also participates in industry collaboration efforts and engages with threat research communities to gather and share samples of attacks and vulnerabilities. This shared threat intelligence is used to develop real-time countermeasures that are automatically deployed to our customers' firewalls.

Network control and flexibility

At the core of the NSA series is SonicOS, SonicWall's feature-rich operating system. SonicOS provides organizations with the network control and flexibility they require through application intelligence and control, real-time visualization, an intrusion prevention system (IPS) featuring sophisticated antievasion technology, high-speed virtual private networking (VPN) and other robust security features.

Using application intelligence and control, network administrators can identify and categorize productive applications from those that are unproductive or potentially dangerous,

and control that traffic through powerful application-level policies on both a peruser and a per-group basis (along with schedules and exception lists). Business-critical applications can be prioritized and allocated more bandwidth while non-essential applications are bandwidth-limited. Real-time monitoring and visualization provides a graphical representation of applications, users and bandwidth usage for granular insight into traffic across the network.

For organizations that require advanced flexibility in their network design, SonicOS offers the tools to securely segment the network through the use of virtual LANs (VLANs) which enable network administrators to create a virtual LAN interface that allows for network separation into one or more logical groups. Administrators create rules that determine the level of communication with devices on other VLANs.


Built into every NSA series firewall is a wireless access controller that enables organizations to extend the network perimeter securely through the use of wireless technology. Together, SonicWall firewalls and SonicPoint 802.11ac wireless access points create a wireless network security solution that combines industry-leading next-generation firewall technology with high-speed wireless for

enterprise-class network security and performance across the wireless network.

Easy deployment, setup and ongoing management

Like all SonicWall firewalls, the NSA series tightly integrates key security, connectivity and flexibility technologies into a single, comprehensive solution. This includes SonicPoint wireless access points and the SonicWall WAN Acceleration Appliance (WXA) series, both of which are automatically detected and provisioned by the managing NSA firewall. Consolidating multiple capabilities eliminates the need to purchase and install point products that don't always work well together. This reduces the effort it takes to deploy the solution into the network and configure it, saving both time and money.


Ongoing management and monitoring of network security are handled centrally through the firewall or through the SonicWall Global Management System (GMS), providing network administrators with a single pane of glass from which to manage all aspects of the network. Together, the simplified deployment and setup along with the ease of management enable organizations to lower their total cost of ownership and realize a high return on investment.






Network Security Appliance 2600

The SonicWall NSA 2600 is designed to address the needs of growing small organizations, branch offices and school campuses.



Network Security Appliance 3600/4600

The SonicWall NSA 3600/4600 is ideal for branch office and small- to medium-sized corporate environments concerned about throughput capacity and performance.




Firewall	NSA 2600
Firewall throughput	1.9 Gbps
IPS throughput	700 Mbps
Anti-malware throughput	400 Mbps
Full DPI throughput	300 Mbps
IMIX throughput	600 Mbps
Maximum DPI connections	125,000
New connections/sec	15,000/sec
Description	SKU
NSA 2600 firewall only	01-SSC-3860
NSA 2600 TotalSecure (1-year)	01-SSC-3863

Firewall	NSA 3600	NSA 4600
Firewall throughput	3.4 Gbps	6.0 Gbps
IPS throughput	1.1 Gbps	2.0 Gbps
Anti-malware throughput	600 Mbps	1.1 Gbps
Full DPI throughput	500 Mbps	800 Mbps
IMIX throughput	900 Mbps	1.6 Gbps
Maximum DPI connections	175,000	200,000
New connections/sec	20,000/sec	40,000/sec
Description	SKU	
Firewall only	01-SSC-3850	01-SSC-3840
TotalSecure (1-year)	01-SSC-3853	01-SSC-3843




Network Security Appliance 5600

The SonicWall NSA 5600 is ideal for distributed, branch office and corporate environments needing significant throughput.



Network Security Appliance 6600

The SonicWall NSA 6600 is ideal for large distributed and corporate central site environments requiring high throughput capacity and performance.



Firewall	NSA 5600
Firewall throughput	9.0 Gbps
IPS throughput	3.0 Gbps
Anti-malware throughput	1.7 Gbps
Full DPI throughput	1.6 Gbps
IMIX throughput	2.4 Gbps
Maximum DPI connections	375,000
New connections/sec	60,000/sec
Description	SKU
NSA 5600 firewall only	01-SSC-3830
NSA 5600 TotalSecure (1-year)	01-SSC-3833

Firewall	NSA 6600
Firewall throughput	12.0 Gbps
IPS throughput	4.5 Gbps
Anti-malware throughput	3.0 Gbps
Full DPI throughput	3.0 Gbps
IMIX throughput	3.5 Gbps
Maximum DPI connections	500,000
New connections/sec	90,000/sec
Description	SKU
NSA 6600 firewall only	01-SSC-3820
NSA 6600 TotalSecure (1-year)	01-SSC-3823



Reassembly-Free Deep Packet Inspection engine


The SonicWall Reassembly-Free Deep Packet Inspection (RFDPI) is a single-pass, low latency inspection system that performs stream-based, bi-directional traffic analysis at high speed without proxying or buffering to effectively uncover intrusion attempts and malware downloads while identifying application traffic regardless of port and protocol. This proprietary engine relies on streaming traffic payload inspection to detect threats at Layers 3-7, and takes

network streams through extensive and repeated normalization and decryption in order to neutralize advanced evasion techniques that seek to confuse detection engines and sneak malicious code into the network.


Once a packet undergoes the necessary pre-processing, including SSL decryption, it is analyzed against a single, proprietary memory representation of three signature databases: intrusion attacks, malware and applications. The connection state is then advanced to represent the position

of the stream relative to these databases until it encounters a state of attack, or other "match" event, at which point a pre-set action is taken.

In most cases, the connection is terminated and proper logging and notification events are created. However, the engine can also be configured for inspection only or, in case of application detection, to provide Layer 7 bandwidth management services for the remainder of the application stream as soon as the application is identified.




Competitive proxy-based architecture



SonicWall stream-based architecture

Flexible, customizable deployment options – NSA series at-a-glance

Every SonicWall NSA appliance utilizes a breakthrough, multi-core hardware design and RFDPI for internal and external network protection without compromising network performance. The NSA series NGFWs combine high-speed intrusion prevention, file and content inspection, and powerful application intelligence and control with an extensive array of advanced networking and flexible configuration features. The NSA series offers an affordable platform that is easy to deploy and manage in a wide variety of large, branch office and distributed network environments.





Security and protection

The dedicated, in-house SonicWall Threat Research Team works on researching and developing countermeasures to deploy to the firewalls in the field for up-to-date protection. The team leverages more than one million sensors across the globe for malware samples, and for telemetry feedback on the latest threat information, which in turn is fed into the intrusion prevention, anti-malware and application detection capabilities.

SonicWall NGFW customers benefit from continuously updated threat protection around the clock, with new updates taking effect immediately without reboots or interruptions. The signatures resident on the appliances are designed to protect against wide classes of attacks, covering tens of thousands of individual threats with a single signature.

In addition to the countermeasures on the appliance, NSA appliances also have access to the SonicWall CloudAV Service, which extends the onboard signature intelligence with over 30 million signatures. This CloudAV database is accessed via a proprietary, light-weight protocol by the firewall to augment the inspection done on the appliance. With

Capture Advanced Threat Protection, a cloud-based network sandbox, organizations can examine suspicious files and code in an isolated environment to stop advanced threats such as zeroday attacks.




Application intelligence and control

Application intelligence informs administrators of application traffic traversing their network, so they can schedule application controls based on business priority, throttle unproductive applications and block potentially dangerous applications. Real-time visualization identifies traffic anomalies as they happen, enabling immediate countermeasures against potential inbound or outbound attacks or performance bottlenecks.

SonicWall Application Traffic Analytics provide granular insight into application traffic, bandwidth utilization and security threats, as well as powerful troubleshooting and forensics capabilities. Additionally, secure Single Sign-On (SSO) capabilities ease the user experience, increase productivity and reduce support calls.

The SonicWall Global Management System (GMS®) simplifies management of application intelligence and control using an intuitive, web-based interface.





Global management and reporting

For highly regulated organizations wanting to achieve a fully coordinated security governance, compliance and risk management strategy, the optional SonicWall Global Management System (GMS®) provides administrators a unified, secure and extensible platform to manage SonicWall firewalls, wireless access points and switches through a correlated and auditable workstream process. GMS enables enterprises to easily consolidate the management


of security appliances, reduce administrative and troubleshooting complexities, and govern all operational aspects of the security infrastructure, including centralized policy management and enforcement; realtime event monitoring; user activities; application identifications; flow analytics and forensics; compliance and audit reporting; and more. GMS also meets the firewall's change management requirements of enterprises through a workflow automation feature. With GMS

workflow automation, all enterprises will gain agility and confidence in deploying the right firewall policies, at the right time and in conformance to compliance regulations. GMS provides a coherent way to manage network security by business processes and service levels, dramatically simplifying lifecycle management of your overall security environments as compared to managing on a device-by-device basis.

SonicWall GMS Secure Compliance Enforcement

Benefits

- Centralized management
- Error-free policy management
- Strong access control
- Comprehensive audit trails
- PCI, HIPAA, SOX report templates
- Lower operating costs



Port Expansion Scalability



Features

RFDPI engine	
Feature	Description
Reassembly-Free Deep Packet Inspection (RFDPI)	This high-performance, proprietary and patented inspection engine performs stream-based, bi-directional traffic analysis without proxying or buffering, to uncover intrusion attempts and malware and to identify application traffic regardless of port.
Bi-directional inspection	Scans for threats in both inbound and outbound traffic simultaneously to ensure that the network is not used to distribute malware and does not become a launch platform for attacks in case an infected machine is brought inside.
Stream-based inspection	Proxy-less and non-buffering inspection technology provides ultra-low latency performance for DPI of millions of simultaneous network streams without introducing file and stream size limitations, and can be applied on common protocols as well as raw TCP streams.
Highly parallel and scalable	The unique design of the RFDPI engine works with the multi-core architecture to provide high DPI throughput and extremely high new session establishment rates to deal with traffic spikes in demanding networks.
Single-pass inspection	A single-pass DPI architecture simultaneously scans for malware, intrusions and application identification, drastically reducing DPI latency and ensuring that all threat information is correlated in a single architecture.

Firewall and networking		
Feature	Description	
Threat API	All the firewall to receive and leverage any and all proprietary, original equipment manufacturer and third-party intelligence feeds to combat advanced threats such as zero-day, malicious insider, compromised credentials, ransomware and advanced persistent threats.	
Stateful packet inspection	All network traffic is inspected, analyzed and brought into compliance with firewall access policies.	
High availability/clustering	The NSA series supports Active/Passive (A/P) with state synchronization, Active/Active (A/A) DPI and Active/Active clustering high availability modes. Active/Active DPI offloads the deep packet inspection load to cores on the passive appliance to boost throughput.	
DDoS/DoS attack protection	SYN flood protection provides a defense against DOS attacks using both Layer 3 SYN proxy and Layer 2 SYN blacklisting technologies. Additionally, it protects against DOS/DDoS through UDP/ICMP flood protection and connection rate limiting.	
IPv6 support	Internet Protocol version 6 (IPv6) is in its early stages to replace IPv4. With the latest SonicOS 6.2, the hardware will support filtering and wire mode implementations.	
Flexible deployment options	The NSA Series can be deployed in traditional NAT, Layer 2 bridge, wire and network tap modes.	
WAN load balancing	Load-balances multiple WAN interfaces using Round Robin, Spillover or Percentage methods. Policy-based routing Creates routes based on protocol to direct traffic to a preferred WAN connection with the ability to fail back to a secondary WAN in the event of an outage.	
Advanced quality of service (QoS)	Guarantees critical communications with 802.1p, DSCP tagging, and remapping of VoIP traffic on the network.	
H.323 gatekeeper and SIP proxy support	Blocks spam calls by requiring that all incoming calls are authorized and authenticated by H.323 gatekeeper or SIP proxy.	
Integrated Dell X-Series network switch management	Manage security settings of additional ports, including Portshield, HA, POE and POE+, under a single pane of glass using the SuperMassive management dashboard for Dell's X series network switch.	
Biometric Authentication	Supports mobile device authentication such as fingerprint recognition that cannot be easily duplicated or shared to securely authenticate the user identity for network access.	
Open Authentication and Social Login	Enable guest users to use their credentials from social networking services such as Facebook, Twitter, or Google+ to sign in and access the Internet and other guest services through a host's wireless, LAN or DMZ zones using pass-through authentication.	

Management and reporting	
Feature	Description
Global Management System	SonicWall GMS monitors, configures and reports on multiple SonicWall appliances through a single management console with an intuitive interface, reducing management costs and complexity.
Powerful single device management	An intuitive web-based interface allows quick and convenient configuration, in addition to a comprehensive command-line interface and support for SNMPv2/3.
IPFIX/NetFlow application flow reporting	Exports application traffic analytics and usage data through IPFIX or NetFlow protocols for real-time and historical monitoring and reporting with tools such as SonicWall Scrutinizer or other tools that support IPFIX and NetFlow with extensions.
	Virtual private networking (VPN)
Feature	Description
Auto-provision VPN	Simplifies and reduces complex distributed firewall deployment down to a trivial effort by automating the initial site-to-site VPN gateway provisioning between SonicWall firewalls while security and connectivity occurs instantly and automatically.
IPSec VPN for site-to-site connectivity	High-performance IPSec VPN allows the NSA Series to act as a VPN concentrator for thousands of other large sites, branch offices or home offices.
SSL VPN or IPSec client remote access	Utilizes clientless SSL VPN technology or an easy-to-manage IPSec client for easy access to email, files, computers, intranet sites and applications from a variety of platforms.



Redundant VPN gateway	When using multiple WANs, a primary and secondary VPN can be configured to allow seamless, automatic failover and failback of all VPN sessions.
Route-based VPN	The ability to perform dynamic routing over VPN links ensures continuous uptime in the event of a temporary VPN tunnel failure, by seamlessly re-routing traffic between endpoints through alternate routes.
	Content/context awareness
Feature	Description
User activity tracking	User identification and activity are made available through seamless AD/LDAP/Citrix1/Terminal Services1 SSO integration combined with extensive information obtained through DPI.
GeoIP country traffic identification	Identifies and controls network traffic going to or coming from specific countries to either protect against attacks from known or suspected origins of threat activity, or to investigate suspicious traffic originating from the network. Ability to create custom country and Botnet lists to override an incorrect country or Botnet tag associated with an IP address. Eliminates unwanted filtering of IP addresses due to misclassification.
Regular expression DPI filtering	Prevents data leakage by identifying and controlling content crossing the network through regular expression matching. Ability to create custom country and Botnet lists to override an incorrect country or Botnet tag associated with an IP address.

Breach prevention subscription services

Capture advanced threat protection	
Feature	Description
Multi-engine sandboxing	The multi-engine sandbox platform, which includes virtualized sandboxing, full system emulation, and hypervisor level analysis technology, executes suspicious code and analyzes behavior, providing comprehensive visibility to malicious activity.
Broad file type and size analysis	Supports analysis of a broad range of file types, including executable programs (PE), DLL, PDFs, MS Office documents, archives, JAR, and APK plus multiple operating systems including Windows, Android, Mac OSX and multi-browser environments.
Rapid deployment of signatures	When a file is identified as malicious, a signature is immediately deployed to firewalls with SonicWALL Capture subscriptions and GRID Gateway Anti-Virus and IPS signature databases and the URL, IP and domain reputation databases within 48 hours.
Block until verdict	To prevent potentially malicious files from entering the network, files sent to the cloud for analysis can be held at the gateway until a verdict is determined.

Encrypted Threat prevention		
Feature	Description	
SSL decryption and inspection	Decrypts and inspects SSL traffic on the fly, without proxying, for malware, intrusions and data leakage, and applies application, URL and content control policies in order to protect against threats hidden in SSL encrypted traffic Included with security subscriptions for all models except SOHO. Sold as a separate license on SOHO.	
SSH inspection	Deep packet inspection of SSH (DPI-SSH) decrypts and inspect data traversing over SSH tunnel to prevent attacks that leverage SSH.	
	Intrusion prevention	
Feature	Description	
Countermeasure-based protection	Tightly integrated intrusion prevention system (IPS) leverages signatures and other countermeasures to scan packet payloads for vulnerabilities and exploits, covering a broad spectrum of attacks and vulnerabilities.	
Automatic signature updates	The SonicWall Threat Research Team continuously researches and deploys updates to an extensive list of IPS countermeasures that covers more than 50 attack categories. The new updates take immediate effect without any reboot or service interruption required.	
Intra-zone IPS protection	Bolsters internal security by segmenting the network into multiple security zones with intrusion prevention, preventing threats from propagating across the zone boundaries.	
Botnet command and control (CnC) detection and blocking	Identifies and blocks command and control traffic originating from bots on the local network to IPs and domains that are identified as propagating malware or are known CnC points.	
Protocol abuse/anomaly	Identifies and blocks attacks that abuse protocols in an attempt to sneak past the IPS.	
Zero-day protection	Protects the network against zero-day attacks with constant updates against the latest exploit methods and techniques that cover thousands of individual exploits.	
Anti-evasion technology	Extensive stream normalization, decoding and other techniques ensure that threats do not enter the network undetected by utilizing evasion techniques in Layers 2-7.	
Threat prevention		
Feature	Description	
Gateway anti-malware	The RFDPI engine scans all inbound, outbound and intra-zone traffic for viruses, Trojans, key loggers and other malware in files of unlimited length and size across all ports and TCP streams.	
CloudAV malware protection	A continuously updated database of over 17 million threat signatures resides in the SonicWall cloud servers and is referenced to augment the capabilities of the onboard signature database, providing RFDPI with extensive coverage of threats.	



Around-the-clock security updates	New threat updates are automatically pushed to firewalls in the field with active security services, and take effect immediately without reboots or interruptions.
Bi-directional raw TCP inspection	The RFDPI engine is capable of scanning raw TCP streams on any port bi-directionally preventing attacks that they to sneak by outdated security systems that focus on securing a few well-known ports.
Extensive protocol support	Identifies common protocols such as HTTP/S, FTP, SMTP, SMBv1/v2 and others, which do not send data in raw TCP, and decodes payloads for malware inspection, even if they do not run on standard, well-known ports.

Application intelligence and control	
Feature	Description
Application control	Control applications, or individual application features, that are identified by the RFDPI engine against a continuously expanding database of over thousands of application signatures, to increase network security and enhance network productivity.
Custom application identification	Control custom applications by creating signatures based on specific parameters or patterns unique to an application in its network communications, in order to gain further control over the network.
Application bandwidth management	Granularly allocate and regulate available bandwidth for critical applications or application categories while inhibiting nonessential application traffic.
Granular control	Control applications, or specific components of an application, based on schedules, user groups, exclusion lists and a range of actions with full SSO user identification through LDAP/AD/Terminal Services/Citrix integration.

Content filtering					
Feature	Description				
Inside/outside content filtering	Enforce acceptable use policies and block access to websites containing information or images that are objectionable unproductive with Content Filtering Service.				
Enforced content filtering client	Extend policy enforcement to block internet content for Windows, Mac and Android devices located outside the firewal perimeter.				
Granular controls	Block content using the predefined categories or any combination of categories. Filtering can be scheduled by time of such as during school or business hours, and applied to individual users or groups.				
Web caching	URL ratings are cached locally on the SonicWall firewall so that the response time for subsequent access to frequently visits is only a fraction of a second.				
	Enforced anti-virus and anti-spyware				
Feature	Description				
Multi-layered protection	Utilize the firewall capabilities as the first layer of defense at the perimeter, coupled with endpoint protection to block, viruses entering network through laptops, thumb drives and other unprotected systems.				
Automated enforcement option	Ensure every computer accessing the network has the most recent version of anti-virus and anti-spyware signatures installed and active, eliminating the costs commonly associated with desktop anti-virus and anti-spyware management.				
Automated deployment and installation option	Machine-by-machine deployment and installation of anti-virus and anti-spyware clients is automatic across the network, minimizing administrative overhead.				
Always on, automatic virus protection	Frequent anti-virus and anti-spyware updates are delivered transparently to all desktops and file servers to improve end user productivity and decrease security management.				
Spyware protection	Powerful spyware protection scans and blocks the installation of a comprehensive array of spyware programs on desktops an laptops before they transmit confidential data, providing greater desktop security and performance.				



SonicOS feature summary

Firewall

- Stateful packet inspection
- Reassembly-Free Deep Packet Inspection
- DDoS attack protection (UDP/ICMP/SYN flood)
- IPv4/IPv6 support
- Biometric authentication for remote access
- DNS proxy
- Threat API

SSL/SSH decryption and inspection²

- Deep packet inspection for TLS/SSL/SSH
- · Inclusion/exclusion of objects, groups or hostnames
- SSL Control

Capture advanced threat protection²

- Cloud-based multi-engine analysis
- Virtualized sandboxing
- Hypervisor level analysis
- Full system emulation
- Broad file type examination
- Automated and manual submission
- Real-time threat intelligence updates
- Auto-block capability

Intrusion prevention²

- Signature-based scanning
- Automatic signature updates
- Bidirectional inspection engine
- Granular IPS rule capability
- GeoIP/Botnet filtering
- Regular expression matching

Anti-malware²

- Stream-based malware scanning
- Gateway anti-virus
- Gateway anti-spyware
- Bi-directional inspection
- No file size limitation
- Cloud malware database

Application identification²

- Application control
- Application traffic visualization
- Application component blocking

- Application bandwidth management
- Custom application signature creation
- Data leakage prevention
- Application reporting over NetFlow/
- User activity tracking (SSO)
- Comprehensive application signature

Web content filtering²

- URL filtering
- Anti-proxy technology
- Keyword blocking
- Bandwidth manage CFS rating categories
- Unified policy model with app control
- Content Filtering Client

VPN

- Auto-provision VPN
- IPSec VPN for site-to-site connectivity
- SSL VPN and IPSec client remote access
- Redundant VPN gateway
- Mobile Connect for iOS, Mac OS X, Windows, Chrome, Android and Kindle Fire
- Route-based VPN (OSPF, RIP)

Networking

- PortShield
- Jumbo frames (not on NSA 2600)
- Path MTU discovery
- Enhanced logging
- VLAN trunking
- RSTP (Rapid Spanning Tree protocol)
- Port mirroring (not on NSA 2600)
- Layer-2 QoS
- Port security
- Dynamic routing
- SonicPoint wireless controller¹
- Policy-based routing
- NAT
- DHCP server
- Bandwidth management
- · Link aggregation

- Port redundancy
- A/P high availability with state sync
- A/A clustering
- Inbound/outbound load balancing
- L2 bridge, wire mode, tap mode, NAT mode
- 3G/4G WAN failover
- Asymmetric routing
- Common Access Card (CAC) support

VoIP

- Granular QoS control
- Bandwidth management
- DPI for VoIP traffic
- H.323 gatekeeper and SIP proxy support

Management and monitoring

- Web GUI
- Command line interface (CLI)
- SNMPv2/v3
- · Centralized management and reporting
- Logging
- Netflow/IPFix exporting
- Single Sign-On (SSO)
- Terminal service/Citrix support¹
- BlueCoat Security Analytics Platform
- Application and bandwidth visualization
- IPv4 and IPv6 Management
- Dell X-Series switch management

IPv6

- IPv6 filtering
- 6rd (rapid deployment)
- DHCP prefix delegation
- Wire mode
- BGP



² Requires added subscription.

¹ Supported on SonicOS 6.1 and 6.2. Not supported on SonicOS 6.2.1.

NSA series system specifications

NSA 2600	NSA 3600		NSA 5600	NSA 6600	
	1	SonicOS 6.2.9		I	
4	6	8	10	24	
			,	4 x 10-GbE SFP+,	
		'	,	8 x 1-GbE SFP,	
		'		8 x 1 GbE, 1 GbE Managemer	
i Console	,			1 Console	
2 0 GB				4.0 GB	
2.0 00	4.0 00				
30,000	40.000		60.000	70,000	
,	,	,		128	
32				120	
NICA OZOO				NICA ((OO	
				NSA 6600	
				12.0 Gbps	
		-		3.0 Gbps	
700 Mbps	1.1 Gbps	2.0 Gbps	3.0 Gbps	4.5 Gbps	
700 Mbps	1.1 Gbps	2.0 Gbps	3.0 Gbps	4.5 Gbps	
400 Mbps	600 Mbps	1.1 Gbps	1.7 Gbps	3.0 Gbps	
600 Mbps	900 Mbps	1.6 Gbps	2.4 Gbps	3.5 Gbps	
200 Mbps	300 Mbps	500 Mbps	800 Mbps	1.3 Gbps	
1.1 Gbps	1.5 Gbps	3.0 Gbps	4.5 Gbps	5.0 Gbps	
15,000/sec	20,000/sec	40,000/sec	60,000/sec	90,000/sec	
	· ·		·	1,500,000	
,			· '	1,000,000	
				6,000/10,500	
				NSA 6600	
				6,000	
		,	<u>'</u>		
				2,000 (6,000)	
2 (250)	. ,	, ,	. ,	2 (1500)	
			, , , ,		
	Ditti		, 14v		
NO. 0/00	1101.0100		NO. 7/00	2104 ((00	
				NSA 6600	
			· · · · · · · · · · · · · · · · · · ·		
256				500	
XAUTH/RADIUS, Active Directory, SSO, LDAP, Novell, internal user database, Terminal Services, Citrix,					
Common Access Card (CAC)					
Full H323-v1-5, SIP					
ICCA E			a NIDDD /Eirawall and IDC	'\ LIC ADI	
ICSA FIRE	wall, ICSA Anti-Virus, FIP	'S 140-2, Common Criteri	a NDFF (Firewall and IF3), UC APL	
			Active/Passive	with State Sync,	
Active/Passive with	Active/Passive	with State Sync	Active/Passive Active/Active DP	with State Sync, I with State Sync,	
Active/Passive with State Sync	Active/Passive Active/Activ	with State Sync re Clustering	Active/Passive Active/Active DP Active/Activ	with State Sync, I with State Sync, re Clustering	
Active/Passive with State Sync NSA 2600	Active/Passive	with State Sync re Clustering NSA 4600	Active/Passive Active/Active DP Active/Active NSA 5600	with State Sync, I with State Sync,	
Active/Passive with State Sync	Active/Passive Active/Activ	with State Sync re Clustering	Active/Passive Active/Active DP Active/Active NSA 5600	with State Sync, I with State Sync, e Clustering NSA 6600	
Active/Passive with State Sync NSA 2600	Active/Passive Active/Activ NSA 3600	with State Sync re Clustering NSA 4600	Active/Passive Active/Active DP Active/Active NSA 5600	with State Sync, I with State Sync, e Clustering NSA 6600 Dual, redundant,	
Active/Passive with State Sync NSA 2600	Active/Passive Active/Activ NSA 3600	with State Sync ye Clustering NSA 4600 Single, Fix	Active/Passive Active/Active DP Active/Active NSA 5600	with State Sync, I with State Sync, e Clustering NSA 6600	
Active/Passive with State Sync NSA 2600 200W	Active/Passive Active/Activ NSA 3600 Dual,	with State Sync ye Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz	Active/Passive Active/Active DP Active/Activ NSA 5600 ked 250W	with State Sync, I with State Sync, e Clustering NSA 6600 Dual, redundant, hot swappable	
Active/Passive with State Sync NSA 2600 200W	Active/Passive Active/Activ NSA 3600 Dual,	with State Sync ye Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz 86.7	Active/Passive Active/Active DP Active/Active NSA 5600 Active 250W	with State Sync, I with State Sy	
Active/Passive with State Sync NSA 2600 200W	Active/Passive Active/Activ NSA 3600 Dual, 74.3 146,789	with State Sync ye Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz 86.7 139,783	Active/Passive Active/Active DP Active/Active NSA 5600 Active/Ac	with State Sync, It with S	
Active/Passive with State Sync NSA 2600 200W	Active/Passive Active/Activ NSA 3600 Dual,	with State Sync ye Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz 86.7	Active/Passive Active/Active DP Active/Active NSA 5600 Active 250W	with State Sync, I with State Sy	
Active/Passive with State Sync NSA 2600 200W	Active/Passive Active/Activ NSA 3600 Dual, 74.3 146,789	with State Sync ye Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz 86.7 139,783	Active/Passive Active/Active DP Active/Active NSA 5600 Active/Ac	with State Sync, I with State Sy	
Active/Passive with State Sync NSA 2600 200W	Active/Passive Active/Activ NSA 3600 Dual, 74.3 146,789	with State Sync ye Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz 86.7 139,783 15.96	Active/Passive Active/Active DP Active/Active NSA 5600 Active/	with State Sync, I with State Sy	
Active/Passive with State Sync NSA 2600 200W 49.4 176,540 20.15	Active/Passive Active/Activ NSA 3600 Dual, 74.3 146,789	with State Sync ye Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz 86.7 139,783 15.96 1U Rack Mountable	Active/Passive Active/Active DP Active/Active NSA 5600 Active/Active/Active/NSA 5600 Active/Active/Active	with State Sync, It with S	
Active/Passive with State Sync NSA 2600 200W 49.4 176,540 20.15 1.75 x 10.25 x 17 in	Active/Passive Active/Activ NSA 3600 Dual, 74.3 146,789	with State Sync ve Clustering NSA 4600 Single, Fix 100-240 VAC, 60-50 Hz 86.7 139,783 15.96 1U Rack Mountable 1.75 x 19	Active/Passive Active/Active DP Active/Active NSA 5600 Active/Active/Active/NSA 5600 Active/Active/Active	with State Sync, I with State Sync, the Clustering NSA 6600 Dual, redundant, hot swappable 113.1 116,477 13.30	
Active/Passive with State Sync NSA 2600 200W 49.4 176,540 20.15 1.75 x 10.25 x 17 in (4.5 x 26 x 43 cm)	Active/Passive Active/Activ NSA 3600 Dual, 74.3 146,789	with State Sync re Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz 86.7 139,783 15.96 1U Rack Mountable 1.75 x 19 (4.5 x 48.5	Active/Passive Active/Active DP Active/Active NSA 5600 Active/Active/Active/NSA 5600 Active/Active/Active	with State Sync, I with State Sync, Re Clustering NSA 6600 Dual, redundant, hot swappable 113.1 116,477 13.30 14.93 lb (6.77 Kg)	
Active/Passive with State Sync NSA 2600 200W 49.4 176,540 20.15 1.75 x 10.25 x 17 in (4.5 x 26 x 43 cm) 10.1 lb (4.6 kg) 11.0 lb (5.0 kg)	Active/Passive Active/Activ NSA 3600 Dual, 74.3 146,789	with State Sync ye Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz 86.7 139,783 15.96 1U Rack Mountable 1.75 x 19 (4.5 x 48.5) 13.56 lb (6.15 Kg) 14.24 lb (6.46 Kg)	Active/Passive Active/Active DP Active/Active NSA 5600 Active/Active/Active/NSA 5600 Active/Active/Active	with State Sync, I with State Sync, Re Clustering NSA 6600 Dual, redundant, hot swappable 113.1 116,477 13.30 14.93 lb (6.77 Kg) 19.78 lb (8.97 Kg)	
Active/Passive with State Sync NSA 2600 200W 49.4 176,540 20.15 1.75 × 10.25 × 17 in (4.5 × 26 × 43 cm) 10.1 lb (4.6 kg) 11.0 lb (5.0 kg) 14.3 lb (6.5 kg)	Active/Passive Active/Activ NSA 3600 Dual, 74.3 146,789 16.76	with State Sync re Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz 86.7 139,783 15.96 1U Rack Mountable 1.75 x 19 (4.5 x 48.5) 13.56 lb (6.15 Kg) 14.24 lb (6.46 Kg) 20.79lb (9.43 Kg) C-Tick, VCCI Class A, MSI	Active/Passive Active/Active DP Active/Active NSA 5600 sed 250W 90.9 134,900 15.40 1 x 17 in 5 x 43 cm) P/KCC Class A, UL, cUL,	with State Sync, I with State Sync, Re Clustering NSA 6600 Dual, redundant, hot swappable 113.1 116,477 13.30 14.93 lb (6.77 Kg) 19.78 lb (8.97 Kg) 26.12 lb (11.85 Kg)	
Active/Passive with State Sync NSA 2600 200W 49.4 176,540 20.15 1.75 × 10.25 × 17 in (4.5 × 26 × 43 cm) 10.1 lb (4.6 kg) 11.0 lb (5.0 kg) 14.3 lb (6.5 kg)	Active/Passive Active/Activ NSA 3600 Dual, 74.3 146,789 16.76	with State Sync re Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz 86.7 139,783 15.96 1U Rack Mountable 1.75 x 19 (4.5 x 48.5) 13.56 lb (6.15 Kg) 14.24 lb (6.46 Kg) 20.79lb (9.43 Kg) C-Tick, VCCI Class A, MSI	Active/Passive Active/Active DP Active/Active NSA 5600 sed 250W 90.9 134,900 15.40 1 x 17 in 5 x 43 cm) P/KCC Class A, UL, cUL,	with State Sync, I with State Sync, Re Clustering NSA 6600 Dual, redundant, hot swappable 113.1 116,477 13.30 14.93 lb (6.77 Kg) 19.78 lb (8.97 Kg) 26.12 lb (11.85 Kg)	
Active/Passive with State Sync NSA 2600 200W 49.4 176,540 20.15 1.75 × 10.25 × 17 in (4.5 × 26 × 43 cm) 10.1 lb (4.6 kg) 11.0 lb (5.0 kg) 14.3 lb (6.5 kg)	Active/Passive Active/Activ NSA 3600 Dual, 74.3 146,789 16.76	with State Sync re Clustering NSA 4600 Single, Fix Fixed 100-240 VAC, 60-50 Hz 86.7 139,783 15.96 1U Rack Mountable 1.75 x 19 (4.5 x 48.5) 13.56 lb (6.15 Kg) 14.24 lb (6.46 Kg) 20.79lb (9.43 Kg) C-Tick, VCCI Class A, MSI	Active/Passive Active/Active DP Active/Active NSA 5600 sed 250W 90.9 134,900 15.40 1 x 17 in 5 x 43 cm) P/KCC Class A, UL, cUL,	with State Sync, re Clustering NSA 6600 Dual, redundant, hot swappable 113.1 116,477 13.30 14.93 lb (6.77 Kg) 19.78 lb (8.97 Kg) 26.12 lb (11.85 Kg)	
	8 x 1-GbE, 1 GbE Management, 1 Console 2.0 GB 30,000 32 NSA 2600 1.9 Gbps 300 Mbps 700 Mbps 400 Mbps 400 Mbps 200 Mbps 1.1 Gbps 15,000/sec 500,000 250,000 1,000/1,000 NSA 2600 75 10 (250) 2 (250) NSA 2600 St 256 Banc XAUTH/RADIU	4 6 8 x 1-GbE, 1 GbE Management, 1 Console 2.0 GB 2.0 GB 2.0 GB 30,000 40,000 32 48 NSA 2600 NSA 3600 1.9 Gbps 300 Mbps 700 Mbps 400 Mbps 600 Mbps 600 Mbps 400 Mbps 600 Mbps 600 Mbps 200 Mbps 1.1 Gbps 1.5 Gbps 15,000/sec 20,000/sec 500,000 750,000 250,000 750,000 250,000 NSA 3600 NSA 3600 75 1,000 10 (250) 50 (1,000) 2 (250) DES, 3DES, AES (128, Object of the preceding of the preced	SonicOS 6.2.9 4	SonicOS 6.2.9 A	



Testing Methodologies: Maximum performance based on RFC 2544 (for firewall). Actual performance may vary depending on network conditions and activated services.

Full DPI/GatewayAV/Anti-Spyware/IPS throughput measured using industry standard Spirent WebAvalanche HTTP performance test and Ixia test tools. Testing done with multiple flows through *Full DPI/DatewayAV/Anti-Spyware/IPS throughput measured using industry standard Spirent WebAvalanche HTTP performance test and ixia test tools. Testin multiple port pairs.

3 VPN throughput measured using UDP traffic at 1280 byte packet size adhering to RFC 2544. All specifications, features and availability are subject to change.

4 For every 125,000 DPI connections reduced, the number of available DPI SSL connections increases by 750.

**Future use. All specifications, features and availability are subject to change.

NSA series ordering information

Product Product	SKU
NSA 2600 TotalSecure (1-year)	01-SSC-3863
NSA 3600 TotalSecure (1-year)	01-SSC-3853
NSA 4600 TotalSecure (1-year)	01-SSC-3843
NSA 5600 TotalSecure (1-year)	01-SSC-3833
NSA 6600 TotalSecure (1-year)	01-SSC-3823
NSA 2600 security and support subscriptions	SKU
Advanced Gateway Security Suite – Capture ATP, Threat Prevention, Content Filtering and 24x7 Support for NSA 2600 (1-year)	01-SSC-1470
Capture Advanced Threat Protection for NSA 2600 (1-year)	01-SSC-1475
Threat Prevention–Intrusion Prevention, Gateway Anti-Virus, Gateway Anti-Spyware, Cloud Anti-Virus for NSA 2600 (1-year)	01-SSC-4459
Silver 24x7 Support for NSA 2600 (1-year)	01-SSC-4314
Content Filtering Premium Business Edition for NSA 2600 (1-year)	01-SSC-4465
Enforced Client Anti-Virus & Anti-Spyware — Kaspersky	Based on user count
Comprehensive Anti-Spam Service for NSA 2600 (1-year)	01-SSC-4471
NSA 3600 security and support subscriptions	SKU
Advanced Gateway Security Suite – Capture ATP, Threat Prevention, Content Filtering and 24x7 Support for NSA 3600 (1-year)	01-SSC-1480
	01-SSC-1485
Capture Advanced Threat Protection for NSA 3600 (1-year)	
Fhreat Prevention–Intrusion Prevention, Gateway Anti-Virus, Gateway Anti-Spyware, Cloud Anti-Virus for NSA 3600 (1-year)	01-SSC-4435
Solver 24x7 Support for NSA 3600 (1-year)	01-SSC-4302 01-SSC-4441
Content Filtering Premium Business Edition for NSA 3600 (1-year)	
Enforced Client Anti-Virus & Anti-Spyware — Kaspersky	Based on user count
Comprehensive Anti-Spam Service for NSA 3600 (1-year)	01-SSC-4447
NSA 4600 security and support subscriptions	SKU
Advanced Gateway Security Suite – Capture ATP, Threat Prevention, Content Filtering and 24x7 Support for NSA 4600 (1-year)	01-SSC-1490
Capture Advanced Threat Protection for NSA 4600 (1-year)	01-SSC-1495
Fhreat Prevention–Intrusion Prevention, Gateway Anti-Virus, Gateway Anti-Spyware, Cloud Anti-Virus for NSA 4600 (1-year)	01-SSC-4411
Silver 24x7 Support for NSA 4600 (1-year)	01-SSC-4290
Content Filtering Premium Business Edition for NSA 4600 (1-year)	01-SSC-4417
Enforced Client Anti-Virus & Anti-Spyware — Kaspersky	Based on user count
Comprehensive Anti-Spam Service for NSA 4600 (1-year)	01-SSC-4423
NSA 5600 security and support subscriptions	SKU
Advanced Gateway Security Suite – Capture ATP, Threat Prevention, Content Filtering and 24x7 Support for NSA 5600 (1-year)	01-SSC-1550
Capture Advanced Threat Protection for NSA 5600 (1-year)	01-SSC-1555
Threat Prevention – Intrusion Prevention, Gateway Anti-Virus, Gateway Anti-Spyware, Cloud Anti-Virus for NSA 5600 (1-year)	01-SSC-4240
Gold 24x7 Support for NSA 5600 (1-year)	01-SSC-4284
Content Filtering Premium Business Edition for NSA 5600 (1-year)	01-SSC-4246
Enforced Client Anti-Virus & Anti-Spyware — Kaspersky	Based on user count
Comprehensive Anti-Spam Service for NSA 5600 (1-year)	01-SSC-4252
NSA 6600 security and support subscriptions	SKU
Advanced Gateway Security Suite – Capture ATP, Threat Prevention, Content Filtering and 24x7 Support for NSA 6600 (1-year)	01-SSC-1560
Capture Advanced Threat Protection for NSA 6600 (1-year)	01-SSC-1565
Threat Prevention–Intrusion Prevention, Gateway Anti-Virus, Gateway Anti-Spyware, Cloud Anti-Virus for NSA 6600 (1-year)	01-SSC-4216
Gold 24x7 Support for NSA 6600 (1-year)	01-SSC-4278
Content Filtering Premium Business Edition for NSA 6600 (1-year)	01-SSC-4222
Enforced Client Anti-Virus & Anti-Spyware — Kaspersky	Based on user count
Comprehensive Anti-Spam Service for NSA 6600 (1-year)	01-SSC-4228
Modules and accessories*	SKU
10GBASE-SR SFP+ Short Reach Module	01-SSC-9785
10GBASE-LR SFP+ Long Reach Module	01-SSC-9786
10GBASE SFP+ 1M Twinax Cable	01-SSC-9787
10GBASE SFP+ 3M Twinax Cable	01-SSC-9788
1000BASE-SX SFP Short Haul Module	01-SSC-9789
1000BASE-LX SFP Long Haul Module	01-SSC-9790
1000BASE-T SFP Copper Module	01-SSC-9791
Management and reporting	SKU
SonicWall GMS 10 Node Software License SonicWall GMS E-Class 24x7 Software Support for 10 node (1-year)	01-SSC-3363
	01-SSC-6514

 $^{{}^{*}\}textit{Please consult with your local SonicWall reseller for a complete list of supported SFP and SFP+ modules}$



Regulatory model numbers:

NSA 2600-1RK29-0A9

NSA 3600-1RK26-0A2

NSA 4600-1RK26-0A3

NSA 5600-1RK26-0A4

NSA 6600-1RK27-0A5

About Us

SonicWall has been fighting the cyber-criminal industry for over 25 years, defending small, medium size businesses and enterprises worldwide. Our combination of products and partners has enabled a real-time cyber defense solution tuned to the specific needs of the more than 500,000 global businesses in over 150 countries, so you can do more business with less fear.

